



XL Plastics

Converting Machinery


DELTA Series Servo Driven

DELTA Series Servo Driven

- High Speed up to 300 Strokes/min
- Servo Motor for Indexing
- Microprocessor Controlled with Digital Display
- Keypad Setting for Speed, Size & Count
- Photocell Control to Convert Printed Film
- Shear Cutting by Hardened Shear Blades Designed Specially for Label Cutting
- Auto Conveyor (Optional)

PVC Shrink Label

Cutting Machine



300

strokes/min.

LBL 200 DELTA

Suitable for
PVC Sleeves

Models:
LBL 200 DELTA
LBL 350 DELTA

Standard Labels :



Plain




Rotary Perforation



Cross Perforation

PVC Shrink Label Sleeving Machine



100
mtrs/min.
GL 500

PVC Shrink Sleeving Machine equipped with :

- Edge Guiding System on Unwind
- Auto tension control system with load cell and Particle Brake
- Air Shafts on Unwind and Rewind
- Pneumatically operated Glue Dispenser
- Torque Motor Rewinder
- Max. Web Width is 500 mm

Specifications (Cutting Machine)

Model	Max. Width mm	Min. Draw Length mm	Max. Draw Length mm	Max. Speed Strokes/min	Connected Load KW	Approx Weight Kg	Dimensions W x L x H cm
LBL 200 DELTA	180	25	300	300	2.5 KW	650	104 x 244 x 129
LBL 350 DELTA	320	25	300	300	2.5 KW	800	119 x 244 x 129

Standard Supply Voltage: 415 V, 3 Phase & Neutral, 50 Hz
(Can be changed as per customers requirement)

Comp. Air Requirement : 3 Cfm.

The manufacturer reserves the right to change design/specifications because of continuous developments.

Accessories/Attachments shown on the photograph may not be part of the standard machine.

Max. Speed shown above is only indicative and the actual speed will depend on size, thickness and the materials of the film.

Compressed Air & Chilled Water, If Required, Not in our Scope of Supply.



XL Plastics

303/2 Makarpura Ind. Estate, Vadodara 390 010, INDIA

Tel : + 91-265-2638125, 2638026 • Fax : + 91-265-2638661

E-mail : info@xlplastics.com

Website : www.xlplastics.com